

# Panoramic Overhead Doors

The **Indupart Panoramic Sectional Overhead Door** is our top of the range commercial door system.

Combining robust, reliable and durable aluminium components in a system that has a vast catalogue of options opens new creative opportunities. You may wish to standardise colours and glazed panels to reflect a corporate style or go for a more exciting mix of colour and glazed panels.





# Fully Glazed Panels

## Flexible Layout

The Indupart Panoramic Sectional Overhead Door is constructed from aluminium frames. Within these frames, one or more types of panel can be fitted in accordance with your wishes. Next to each other the frames form a section. The sections together form the structure of the overhead door and determine its appearance. The layout of the structure is designed for each door individually. The number of frames and sections can therefore differ per door, as can the format of both. This provides you with the optimum creative freedom and the Panoramic overhead doors are suitable for the widest range of architectural designs.

## Individual styling

To give your overhead door an individual style, you can combine a wide range of transparent and blank panels. An endless number of combinations are possible. The sections of the Panoramic are as standard made of anodised aluminium.

## Powder Coating

If the sections will be supplied in a colour, then the profiles will receive a high-quality coloured powder coating. This single layer powder coating guarantees high-quality colour, gloss, hardness, durability, adhesion and coating thickness.

## Durable, transparent and attractive

Panoramic overhead doors are even more durable thanks to the use of high-quality materials. By using transparent fillings in the design, the overhead door allows the maximum amount of light to enter the building. It gives the overhead door an attractive appearance and makes it extremely suitable for use where appearance is important such as in showrooms, firestations and ambulance-stations. In addition, the transparent fillings increase the amount of light that enters the building. As a result, additional artificial light is often unnecessary. This guarantees important savings.





# Fully Glazed Panels

## Blank steel bottom section

The use of transparent panels gives an overhead door a certain elegance, but in practice, the bottom section of the door often gets more dirty and is more likely to get damaged. Therefore, for practical considerations, many companies choose a combination with a single matching blank steel bottom section. The appearance of the steel bottom section is of course adapted to the style of the entire door.

## Only available with finger protection

All our overhead doors are CE approved, and are safe to use. Panoramic Sectional Overhead Doors are supplied as standard with finger protection. The finger protection prevents the fingers getting caught between the panels when shutting the door.

Finger protection is not obligatory (CE standard) for overhead doors higher than 2.50 metres (the height of the pivot point of the top section). However, we have consciously chosen to equip all our doors with finger protection.







## Pass door and operation

Indupart Panoramic Sectional Overhead doors can, if required, be fitted with a pass door. You can choose between a standard sill and a low sill. The overhead door can be supplied as a manually operated door, with a chain hoist or electrically operated.

## Options for the fillings in an AR overhead door

Type	Glazing	Description
Acrylic	Single pane Insulated	Transparent
Safety Glass	Single pane Insulated	Transparent
Polycarbonate (impact-resistant)	Single pane Insulated	Transparent
Perforated aluminium	Single 3mm thick	Aluminium Colour
Filling	Insulated	Aluminium filling, in RAL of your choice
Special in acrylic	All options: in single or insulated available	Opal 30% (30% light transmission) Opal 80% (80% light transmission) Pearl (transparent with air bubbles) Smoke (grey transparent)
Specials in Safety Glass	Single 4mm thick Insulated	Grey smoked glass

